

### 产品卖点 Product Features

- 名牌压缩机，可任意拼接，智能化数字温控，精确保鲜每一度；
- 柜内全方位冷风输送，温度均匀，制冷效果佳；
- 标配 LED 灯管。
- 标配 4 层隔板
- Imported compressor, Intelligent digital temperature control
- Good cooling effect, uniform temperature.
- Interior LED lighting.



### 性能参数表 Technical specifications

MODEL	PCO09S-N1Y	PCO12S-N1Y	PCO19S-N2Y	PCO25S-N2Y
含侧板尺寸, mm Size with end panel,mm	1006*770*1985	1318*770*1985	1943*770*1985	2568*770*1985
侧板厚度, mm Width of end panel,mm	34	34	34	34
展示面积, m <sup>2</sup> Display areas, m <sup>2</sup>	1.7	2.0	3.5	4.7
温度范围, °C Temperature Range, °C	3~8	3~8	3~8	3~8
有效容积, m <sup>3</sup> Net volume, m <sup>3</sup>	-	-	-	-
额定功率, W Rated power, W	1238	1262	2067	2166



### Premium Series

- 整机柜与分体柜高度设计统一，便于整体布局；
- 外观简洁，设计紧凑，更符合当下便利店的需求；
- 智能温度控制器，实现精确温度控制。
- Plug-in and Remote type have same height.
- Compact design for modern convenience store.
- Intelligent digital temperature control.



### 性能参数表 Technical specifications

MODEL	PCO09P-N1Y	PCO12P-N1Y	PCO19P-N2Y	PCO25P-N2Y
含侧板尺寸,mm Size with end panel,mm	980*760*1915	1285*760*1915	1895*760*1915	2500*760*1915
侧板厚度, mm Width of end panel,mm	32	32	32	32
使用温度, °C Temperature Range,°C	3~8	3~8	3~8	3~8
有效容积, m <sup>3</sup> Net volume, m <sup>3</sup>	400	530	800	1060
运行功率, W Input power, w	900	1400	2000	2700
灯箱 Light box	有 Y	有 Y	有 Y	有 Y
温度调节 Controller	数字温控 Digital	数字温控 Digital	数字温控 Digital	数字温控 Digital
货盘 (可调节) Pallet(adjustable)	4	4	4	4
除霜形式 Type of defrost	自动除霜 Automatic	自动除霜 Automatic	自动除霜 Automatic	自动除霜 Automatic

**产品卖点 Product Features**

- 采用双重风幕结构，节能、制冷性能大幅提升；
  - 外观设计简洁美观，开口加大，展示面积及空间有效提升；
  - 多种货盘形式，满足店铺各项需求；
  - 可提供 -2~2°C 肉品柜；
  - 另有玻璃货盘和推拉货盘可供选择。
- True dual-jet air curtain, fast and stable it is to maintain the optimal temperatures.
  - Brand-new outward appearance design, better display effect.
  - Providing three types of pallets for choice.
  - Also available in -2~2°C type.




**性能参数表 Technical specifications**

MODEL	PCO09R-N1Y	PCO12R-N1Y	PCO18R-N2Y	PCO24R-N2Y
不含侧板尺寸,mm Size without end panel,mm	915*760*1915	1220*760*1915	1830*760*1915	2440*760*1915
侧板厚度, mm Width of end panel,mm	32	32	32	32
使用温度, ° C Temperature Range, °C	2-8	2-8	2-8	2-8
有效容积, m <sup>3</sup> Net volume, m <sup>3</sup>	460	610	960	1220
运行功率, W Input power, w	58	110	116	170
灯箱 Light box	有 Y	有 Y	有 Y	有 Y
温度调节 Controller	数字温控 Digital	数字温控 Digital	数字温控 Digital	数字温控 Digital
货盘 (可调节) Pallet (adjustable)	5	5	5	5
除霜形式 Type of defrost	自动除霜 Automatic	自动除霜 Automatic	自动除霜 Automatic	自动除霜 Automatic



## Deluxe Dual-jet Air Curtain Multidecks-Remote



### 产品卖点 Product Features


- 全新外观，适用于大型超市及高端生鲜店
- 前沿开口更低，深度更大，相同能耗下可以容纳更多的货物
- 真正的高效双层风幕，降温更快温度更均匀
- 标配 LED 灯管
- 标配 4 层隔板
- The brand-new outward appearance design makes it fits the supermarket and fresh food market.
- Lower front opening,wider than the old style,hold more goods
- True dual-jet air curtain,fast and stable it is to maintain the optimal temperatures.
- Interior LED lighting.

### Hypermarket Series



### 性能参数表 Technical specifications

MODEL	PCO18M-N2Y	PCO25M-N2Y	PCO37M-N3Y
不含侧板尺寸, mm Size without end panel,mm	1875*1080*2000	2500*1080*2000	3750*1080*2000
侧板厚度, mm Width of end panel,mm	40	40	40
展示面积, m <sup>2</sup> Display areas, m <sup>2</sup>	5.9	7.9	11.8
温度范围, °C Temperature Range, °C	2~8	2~8	2~8



**产品卖点 Product Features**

- 可打开前置玻璃易于清洁；
- 有机玻璃后移门便于取物；
- 低噪音、优质和高效的制冷系统可显著降低能耗及运行费用；
- 此柜型亦有分体式可供选择；
- 可选择左右推拉门。
- Flip-up front glass for easy cleaning.
- Plexiglass sliding door makes sellers pick goods easier.
- Reliable and efficient refrigeration technology significantly reduces energy consumption and running costs.
- Also available in remote type.




**性能参数表 Technical specifications**

MODEL	PCM14S-C2Y	PCM20S-C2Y	PCM26S-C2Y	PCM39S-C2Y
含侧板尺寸, mm Size with end panel,mm	1410*1150*1200	2035*1150*1200	2660*1150*1200	3910*1150*1200
侧板厚度, mm Width of end panel,mm	80	80	80	80
展示面积, m <sup>2</sup> Display areas, m <sup>2</sup>	1.04	1.56	2.08	3.12
温度范围, °C Temperature Range, °C	0-5	0-5	0-5	0-5
有效容积, m <sup>3</sup> Net volume, m <sup>3</sup>	0.17	0.25	0.33	0.5
额定功率, W Rated power, W	350	600	660	900

**产品卖点 Product Features**

- 组合式岛柜是本公司推出的最新一代冷冻柜，凭借新颖的外观、优秀的展示效果、灵活的“百搭”式组合和高效节能的设计理念赢得了众多客户的认可；
- 客户可根据卖场的实际环境任意选择组合方式：可采用单台式、阵列式、岛屿式、环岛式或与超市货架搭配使用。
- Smart combined type island freezer is the newest generation on design idea of novel appearance,excellent display effect,flexible various combination,high efficiency and energy saving,which wins approval of many clients;
- The clients can choose combination type freely according to the actual environment of the mall: as a stand alone unit,as line up,as an island,as a round island or match with the shelves of the supermarket.



**性能参数表 Technical specifications**

MODEL	PFI18S-C2Y	PFI14S-C2Y	PFI21S-C2Y	PFI25S-C2Y
不含侧板尺寸, mm Size without end panel,mm	1870*875*835	1470*875*835	2115*875*835	2502*875*835
箱体厚度, mm Width of end panel,mm	70	70	70	70
展示面积, m <sup>2</sup> Display areas, m <sup>2</sup>	1.1	0.9	1.2	1.5
温度范围, °C Temperature Range,°C	≤ -18	≤ -18	≤ -18	≤ -18
有效容积, m <sup>3</sup> Net volume,m <sup>3</sup>	0.52	0.45	0.65	0.8
功率, W Powerpower,W	560	560	570	690