

Your Quality • Our Priority

SIMPLIFIED COOLING PERFORMANCE & DURABILITY

PRIMEO Product Series comes with environmentally friendly refrigerant (CFC & HCFC free) R134a & R404. Its urethane treated evaporator coil help to enhance refrigeration system against corrosion. In addition, PRIMEO products are manufacture with the use of CFC Free Polyurethane Foam to achieve a high level of heat Insulation in order to guarantee optimum cooling performance.



PRIMEO Product Highlights






-  High Durability and Top-Quality Stainless-Steel SUS 304.
-  Robust Stainless-Steel door offers high tensile strength which discourages dents and scratches.
-  Glass Door Series comes with Double (Chiller) and Triple (Freezer) layer of heated glass door to ensure frost free display functionality.
-  Magnetic Cabinet door complete with self-closing system.
-  Automatic defrost system which saves energy consumption and enhances shortest defrost cycle.
-  Removable and adjustable epoxy coated and stainless-steel shelves.
-  Blower system (with fan assistance) for consistent cooling effect in the storage compartment.
-  Heater and Copper coil system to avoid water condensation at the lowest energy rate.
-  Self-enclosed evaporation system with no plumbing requirements.
-  100mm - 150mm adjustable tubular stainless-steel legs.


Drawer Counter Series

Stainless Steel

CHILLER (COUNTER)	2 DRAWER		4 DRAWER	6 DRAWER
Model	PCC09S-D2F	PCC13S-D2F	PCC15S-D4F	PCC19S-D6F
External Dimension (mm)	950 x 750 x 850	1300 x 750 x 850	1500 x 750 x 850	1950 x 750 x 850
Temperature (Celsius°)	0°C to 5°C			
Defrost System	Auto Electric Defrost			
Temperature Control	Digital Control			
Product Origin	Malaysia			



FREEZER (COUNTER)	2 DRAWER		4 DRAWER	6 DRAWER
Model	PFC09S-D2F	PFC13S-D2F	PFC15S-D4F	PFC19S-D9F
External Dimension (mm)	950 x 750 x 850	1300 x 750 x 850	1500 x 750 x 850	1950 x 750 x 850
Temperature (Celsius°)	-15°C to -18°C			
Defrost System	Auto Electric Defrost			
Temperature Control	Digital Control			
Product Origin	Malaysia			



Fully Customisable Commercial Kitchen Solutions Project Base

PRIMEO Range are capable to Customise and Modify the Installation process of Commercial Refrigeration products and Stainless-Steel Kitchen equipment based on specific clients' requirements to suite all their needs.




PRIMEO range are highly flexible to cater different types of Commercial Kitchen Layout Design furthermore providing the best solutions to their specific requirements at the same time as product quality and performances are always the top priority of PRIMEO products.

Authorised Dealer:

Magnetic Solid Door Upright Series

Stainless Steel

S/S CHILLER (UPRIGHT)	2 DOORS	4 DOORS	6 DOORS
Model	PCU06S-S2F	PCU13S-S4F	PCU19S-S6F
External Dimension (mm)	670 x 790 x 2080	1300 x 790 x 2080	1930 x 790 x 2080
Internal Dimension (mm)	570 x 640 x 1490	1200 x 640 x 1490	1830 x 640 x 1490
Gross Volume (litre)	543	1144	1745
Shelves (PVC)	4	8	12
Temperature (Celsius°)	0°C to 5°C		
Defrost System	Auto Electric Defrost		
Temperature Control	Digital Control		
Product Origin	Malaysia		






S/S FREEZER (UPRIGHT)	2 DOORS	4 DOORS	6 DOORS
Model	PFU06S-S2F	PFU13S-S4F	PFU19S-S6F
External Dimension (mm)	670 x 790 x 2080	1300 x 790 x 2080	1930 x 790 x 2080
Internal Dimension (mm)	570 x 640 x 1490	1200 x 640 x 1490	1830 x 640 x 1490
Gross Volume (litre)	467	983	1499
Shelves (PVC)	4	8	12
Temperature (Celsius°)	-15°C to -18°C		
Defrost System	Auto Electric Defrost		
Temperature Control	Digital Control		
Product Origin	Malaysia		

Magnetic Heated Glass Door Display Series

Colourbond / Stainless Steel




CHILLER (DISPLAY)	1 DOORS	2 DOORS	3 DOORS
Model	PCD06S-G1P	PCD12S-G2P	PCD18S-G3P
External Dimension (mm)	630 x 710 x 2080	1245 x 710 x 2080	1830 x 710 x 2080
Internal Dimension (mm)	530 x 560 x 1530	1145 x 560 x 1530	1730 x 560 x 1530
Gross Volume (litre)	510	1103	1706
Shelves (PVC)	4	8	12
Temperature (Celsius°)	0°C to 5°C		
Defrost System	Auto Electric Defrost		
Temperature Control	Digital Control		
Product Origin	Malaysia		



FREEZER (DISPLAY)	1 DOORS	2 DOORS	3 DOORS
Model	PFD06S-G1P	PFD12S-G2P	PFD18S-G3P
External Dimension (mm)	630 x 710 x 2080	1245 x 710 x 2080	1830 x 710 x 2080
Internal Dimension (mm)	530 x 560 x 1530	1145 x 560 x 1530	1730 x 560 x 1530
Gross Volume (litre)	510	1103	1706
Shelves (PVC)	4	8	12
Temperature (Celsius°)	-15°C to -18°C		
Defrost System	Auto Electric Defrost		
Temperature Control	Digital Control		
Product Origin	Malaysia		

Magnetic Glass/ Solid Door Counter Series

Stainless Steel



CHILLER (COUNTER)

1 DOORS		2 DOORS		3 DOORS			
Model	PCC09S-S1F	PCC12S-S1F	PCC12S-S2F	PCC15S-S2F	PCC18S-S2F	PCC18S-S3F	PCC21S-S3F
External Dimension (mm)	900 x 750 x 850	1200 x 750 x 850	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850	1800 x 750 x 850	2100 x 750 x 850
Internal Dimension (mm)	405 x 600 x 570	705 x 600 x 570	705 x 600 x 570	1005 x 600 x 570	1305 x 600 x 570	1305 x 600 x 570	1605 x 600 x 570
Gross Volume (litre)	145	241	241	343	446	446	549
Shelves (PVC)	1	1	2	2	3	3	3
Temperature (Celsius°)	0°C to 5°C						

Defrost System

Auto Electric Defrost

Temperature Control

Digital Control

Product Origin

Malaysia

FREEZER (COUNTER)

1 DOORS		2 DOORS		3 DOORS			
Model	PFC09S-S1F	PFC12S-S1F	PFC12S-S2F	PFC15S-S2F	PFC18S-S2F	PFC18S-S3F	PFC21S-S3F
External Dimension (mm)	900 x 750 x 850	1200 x 750 x 850	1200 x 750 x 850	1500 x 750 x 850	1800 x 750 x 850	1800 x 750 x 850	2100 x 750 x 850
Internal Dimension (mm)	405 x 600 x 570	705 x 600 x 570	705 x 600 x 570	1005 x 600 x 570	1305 x 600 x 570	1305 x 600 x 570	1605 x 600 x 570
Gross Volume (litre)	145	241	241	343	446	446	549
Shelves (PVC)	1	1	2	2	3	3	3
Temperature (Celsius°)	-15°C to -18°C						

Defrost System

Auto Electric Defrost

Temperature Control

Digital Control

Product Origin

Malaysia